

**where ever
you go....
take a smile
with you**

MyDent
Clear Aligners

CASE COMPENDIUM

Contact with us: 9849492909
support@mydentaligners.com

Chief Complaint: Spaces in front teeth.

Diagnosis: Angles class I malocclusion with spacing in upper & lower anteriors and proclined anterior teeth.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for space closure. Retraction done using existing spaces to correct proclination. Frenectomy advised for high frenal attachment after 12th aligner.

Case Type: Lite Case (16 sets)

Attachments: Retentive Attachments - 16, 26, 36, 34, 44, 46.

Extrusion Attachments - 12, 22. Biplanar Attachments – 11, 21

Duration of Treatment: 8 months

Critical Appraisal: Good finish achieved in stipulated time frame. Tighter contacts could have been achieved with refinement aligners.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaces in upper and lower front teeth.

Diagnosis: Angles class I malocclusion with midline diastema in upper anteriors and mild crowding in lower anteriors .

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper anteriors for space closure.
IPR done in lower arch for alignment and to balance Bolton's Discrepancy
Frenectomy advised for high frenal attachment after 12th aligner.

Case Type: Lite Case (15 sets)

Attachments: Retentive Attachments - 16, 14, 24, 26, 36, 34, 44, 46.

Extrusion Attachments - 12, 22, Root control Attachments – 11, 21

Duration of Treatment: 7 & ½ Months

Critical Appraisal: Good finish achieved in stipulated time frame. Tighter contacts could have been achieved with refinement aligners.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaces in upper and lower front teeth.

Diagnosis: Angles class I malocclusion with midline diastema in upper anteriors and mild crowding in lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper anteriors for space closure
Mild expansion of lower anteriors for alignment.

Case Type: Lite Case (10 sets)

Attachments: Retentive Attachments - 16, 26, 36, 33, 43, 46.

Extrusion Attachments - 12, 22. Root control Attachments – 11, 21

Duration of Treatment: 7 & ½ Months

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer

Removable essix retainer at night time wear for 1 year

Chief Complaint: Forwardly placed upper front teeth and mal aligned lower teeth.

Diagnosis: Angles class I malocclusion with mild crowding in upper and lower anteriors and mild anterior open bite.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for open bite closure. Mild expansion and IPR in anterior region for alignment .

Case Type: Lite Case (12 sets)

Attachments: Retentive Attachments - 16, 14, 24, 26, 36, 33, 43, 46.
Extrusion Attachments - 12, 22, Vertical Attachments – 32, 42.

Duration of Treatment: 6 Months

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retianer.
Removable essix retainer at night time wear for 1 year.

NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

 9849492909

 www.mydentaligners.com

 support@mydentaligners.com