

where ever  
you go....  
take a smile  
with you



# CASE COMPENDIUM

---

Contact with us: 9849492909  
[support@mydentaligner.com](mailto:support@mydentaligner.com)

**Chief Complaint:** Spaces in upper front teeth.

**Diagnosis:** Angles class I malocclusion with spacing in upper anteriors and crowding seen in lower anteriors.

---

## PRETREATMENT ORAL IMAGES



## POST TREATMENT ORAL IMAGES



---

**Treatment Plan:** Controlled tipping of upper anterior teeth to close existing spaces. Alignment of lower anteriors done using IPR to create enough space.

**Case Type:** Lite (10 sets)

**Attachments:** Retentive attachments – 16, 26, 34, 44, 46

Extrusion Attachments – 12, 22.

**Duration of Treatment:** 7 months including refinements.

**Critical Appraisal:** Good results achieved in stipulated time

**Retention Protocol:** Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

**Chief Complaint:** Spaces in upper and lower front teeth

**Diagnosis:** Angles class I malocclusion with spacing in upper and lower anteriors. H/o Orthodontic treatment with extraction of 14, 24, 34, 44.

---

## PRETREATMENT ORAL IMAGES



## POST TREATMENT ORAL IMAGES



---

**Treatment Plan:** • Controlled tipping of upper and lower anterior teeth to close existing spaces. Alignment of upper and lower anteriors done.

**Case Type:** Lite (19 sets).

**Attachments:** Retentive attachments - 16, 26, 36, 46.

Vertical Bar Attachments - 11, 21, 31, 41.

**Duration of Treatment:** 11 months including refinements.

**Critical Appraisal:** Good results achieved in stipulated time

**Retention Protocol:** Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

**Chief Complaint:** Spaces in upper front teeth. Forwardly placed upper & lower teeth.

**Diagnosis:** Angles class II malocclusion with proclined upper anteriors & crowding with lower anteriors.

---

## PRETREATMENT ORAL IMAGES



## POST TREATMENT ORAL IMAGES



---

**Treatment Plan:** Controlled tipping of upper anterior teeth to correct proclination  
Alignment of upper and lower anteriors done with the help of aggressive IPR.  
Molar or canine relationship cannot be corrected.

**Case Type:** Intermediate (31 sets).

**Attachments:** Retentive attachments – 16, 14, 24, 26, 36, 34, 44, 46  
Vertical Bar Attachments – 32, 42. Extrusion Attachments – 12, 22

**Duration of Treatment:** 15 & ½ months including refinements

**Critical Appraisal:** Good results achieved in stipulated time.

**Retention Protocol:** Upper and lower lingual bonded retainer.  
Removable essix retainer at night time wear for 1 year.

**Chief Complaint:** Spaces in upper front teeth.

**Diagnosis:** Angles class I malocclusion with spacing in upper anteriors.

---

## PRETREATMENT ORAL IMAGES



## POST TREATMENT ORAL IMAGES



---

**Treatment Plan:** Controlled tipping of upper anterior teeth for space closure  
IPR done in lower arch to compensate for the Bolton's discrepancy.

**Case Type:** Lite (17 sets).

**Attachments:** Retentive attachments – 16, 14, 24, 26, 36, 34, 44, 46  
Vertical Bar Attachments – 32, 42, Extrusion Attachments – 12, 11, 21, 22

**Duration of Treatment:** 8 & ½ months

**Critical Appraisal:** Good results achieved in stipulated time.

**Retention Protocol:** Upper and lower lingual bonded retainer.  
Removable essix retainer at night time wear for 1 year.

# NOW CONNECT WITH THE MY DENT TEAM



[www.mydentaligners.com](http://www.mydentaligners.com)

 9849492909

 [www.mydentaligners.com](http://www.mydentaligners.com)

 [www.mydentaligners@gmail.com](mailto:www.mydentaligners@gmail.com)