

where ever
you go....
take a smile
with you



CASE COMPENDIUM

Contact with us: 9849492909

support@mydentaligners.com

Chief Complaint: Midline diastema and lower anterior crowding.

Diagnosis: Angles class 1 malocclusion with anterior Crowding.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Upper spaces closed and lower Crowding corrected.

Case Type: (16 sets)

Attachments: Retentive attachments: 17, 15, 12, 22, 24, 27, 36, 34,44.

Duration of Treatment: 8 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention and Removable essix retainer at night time wear for 1 year.

Chief Complaint: Space closure and proclination correction.

Diagnosis: Angles class 1 malocclusion with anterior spacing and proclination.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Spaces closed and maximum proclination correction possible with Aligners have been completed.

Case Type: (25 sets)

Attachments: Retentive attachments: 16, 14, 24, 26, 36, 34, 44, 47

Duration of Treatment: 12.5 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention and Removable essix retainer at night time wear for 1 year.

Chief Complaint: Space closure and proclination correction

Diagnosis: Angles class 1 malocclusion with anterior spacing and proclination.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Spaces closed and maximum proclination correction possible with Aligners have been completed.

Case Type: (18 sets)

Attachments: Retentive attachments: 17, 12, 22, 24, 26, 32, 42, 44, 46

Duration of Treatment: 9 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention and Removable essix retainer at night time wear for 1 year.

Chief Complaint: Space closure and proclination correction.

Diagnosis: Angles class 1 malocclusion with anterior spacing and proclination.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Spaces closed.

Case Type: (15 sets)

Attachments: Retentive attachments: 16, 13,24,26, 36, 34, 44, 46

Duration of Treatment: 7.5 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention and Removable essix retainer at night time wear for 1 year.

NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

 9849492909

 www.mydentaligners.com

 support@mydentaligners.com