

where ever
you go....
take a smile
with you

MyDent
Clear Aligners



**CASE
COMPENDIUM**

Contact with us: 9849492909
support@mydentaligners.com

Chief Complaint: Crooked upper and lower front teeth.

Diagnosis: Angles class II malocclusion with moderate crowding in upper and lower anterior teeth.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Stagewise decrowding planned to avoid intra-arch collision and smooth movement of teeth. Some expansion planned as well to create more space without flaring the teeth a lot. IPR has been done in upper and lower arch for creating space for decrowding.

Case Type: Intermediate category (29 sets)

Attachments: Retentive attachments - 16, 14, 24, 26, 36, 33, 43, 46.

Bi planar Attachments – 12, 11, 21, 22. Vertical Attachments – 31, 41

Duration of Treatment: 15 months including refinements

Critical Appraisal: Better alignment should have been achieved by more refinement aligners.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Crooked upper and lower front teeth

Diagnosis: Angles class I malocclusion with mild spacing in upper and lower anterior teeth. Mild anterior open bite seen.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping planned to close upper and lower spaces. Anterior open bite closed by retraction of the anterior teeth. IPR has been done in upper and lower arch for reducing the proclination.

Case Type: Lite category (14 sets)

Attachments: Retentive attachments - 16, 26, 36, 34, 44, 46.

Extrusion Attachments – 12, 22.. Vertical Attachments – 32, 31, 41, 42

Duration of Treatment: 7 months.

Critical Appraisal: Good results achieved within stipulated time frame. Some periodontal intervention might be needed.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaced and forwardly placed front teeth.

Diagnosis: End On molar relationship with mild spacing and proclined upper and lower anterior teeth.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping planned to close upper and lower spaces. Upper and lower anteriors torqued to give a good profile to the patient. IPR has been done in upper and lower arch for reducing the proclination.

Case Type: Lite category (12 sets)

Attachments: Retentive attachments - 16, 26, 36, 34, 44, 46.

Extrusion Attachments - 12, 22. Root Control Attachments - 11, 21.

Duration of Treatment: 6 months.

Critical Appraisal: Good results achieved within stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaces in front teeth.

Diagnosis: Angles Class I molar relationship with spacing in upper and lower anterior teeth.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping planned to close upper and lower spaces. Upper and lower anteriors torqued to give a good profile to the patient.

Case Type: Lite category (9 sets)

Attachments: Retentive attachments - 16, 14, 24, 26, 36, 34, 47.

Extrusion Attachments – 12, 22. Vertical Attachments: 11, 21, 31, 42

Duration of Treatment: 6 months including refinements.

Critical Appraisal: Good results achieved within stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

 9849492909

 www.mydentaligners.com

 support@mydentaligners.com