

where ever
you go....
take a smile
with you



CASE COMPENDIUM

Contact with us: 9849492909
support@mydentaligners.com

Chief Complaint: Spaces around the teeth

Diagnosis: Angles class 1 malocclusion with spacing in upper and lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for space closure. Controlled torque given while tipping the teeth.

Case Type: Lite category (18 sets)

Attachments: Retentive attachments - 16, 26, 36, 34, 44, 46.

Extrusion attachments – 12, 22.

Duration of Treatment: 12 months including refinements.

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Corner tooth not in proper place.

Diagnosis: Angles class 1 malocclusion with spacing in upper and lower anteriors and a crossbite with 23.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for space closure
Controlled torque given while tipping the teeth. Staggering done while planning to correct the crossbite.

Case Type: Full category (42 sets)

Attachments: Retentive attachments - 16, 14, 24, 26, 36, 34, 44, 46.
Extrusion attachments – 12, 22. Vertical attachments – 32, 42

Duration of Treatment: 21 months

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer.
Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaces in front teeth

Diagnosis: Angles class II malocclusion with spacing in upper and lower anteriors, mild proclination observed with upper anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for space closure
Controlled torque given while tipping the teeth. IPR done for correction or proclination.

Case Type: Lite category (15 sets).

Attachments: Retentive attachments - 16, 26, 36, 34, 44, 46.

Extrusion attachments – 12, 22.

Duration of Treatment: 7 & ½ months.

Critical Appraisal: Good finish achieved in stipulated time frame. Bite settling might be required.

Retention Protocol: Upper and lower lingual bonded retainer. Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaces in teeth and forwardly placed teeth

Diagnosis: Angles class II malocclusion with spacing in upper and lower anteriors, mild proclination observed with upper anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper anteriors for space closure

Controlled torque given while tipping the teeth.

Proclination correction done using the available space.

Lower alignment done using expansion.

Case Type: Lite category (24 sets).

Attachments: Retentive attachments - 16, 26, 37, 34, 44, 46.

Extrusion attachments - 12, 22

Duration of Treatment: 12 months.

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

 9849492909

 www.mydentaligners.com

 support@mydentaligners.com